

**TECHNOLOGY THAT WORKS  
AS HARD AS YOU DO.**



Introducing  
**GFX-1260™**  
30 cm (12 in) screen

# MADE FOR THE WORK YOU DO

There's no doubt about it—farming takes hard work. That's why PTx Trimble is excited to introduce the newest flagship member of our Android™-based family of GFX displays: the **GFX-1260** display.

This 30.7-centimeter (12 in) display is designed to work as hard as you, delivering:

## Performance

Count on having the power, speed and connectivity needed to handle a range of in-field tasks.

## Flexibility

GFX displays adapt to fit your farm's needs for screen size preference, implement compatibility and vehicle mix.

## Simplicity

Improve operational efficiency with a display that is easy to use and transfer between vehicles.

## Scalability

Prepare your farm for the future with modular “mix-and-match” technology that is designed to grow with your operation.

## Reliability

Trust your GFX display to operate in the toughest environments, day or night, maximizing your working hours.

Talk to your local reseller or visit [ptxtrimble.com](http://ptxtrimble.com) to learn more about the PTx Trimble family of GFX displays and design the precision solution that best fits your farm.



# WHY CHOOSE THE GFX-1260 DISPLAY?



**GFX-1260** display  
30 cm (12 in) screen

The GFX-1260 display builds on the PTx Trimble history of innovative, user-friendly technology. With enhanced processing power, greater memory, and larger storage capacity, this sturdy display shines on any farming operation—from broadacre and row crop applications to managing the nuances of permanent and specialty crops.

## Shorten the learning curve and get to work quickly

Our familiar Precision-IQ™ platform and Android-based operating system make it easy for your team to learn and use precision technology.

## Handle a wide range of farming activities with confidence

Powerful loading and processing speeds mean you can depend on your GFX display to meet operational needs, including those that are especially data-intensive.

## Optimize data collection and sharing

Tools like AutoSync™ and remote Work Orders keep your team aligned, while enhanced CAN bus support for equipment analytics ensures your fleet is working properly.

## Experience compatibility with virtually all equipment

Elevate the precision of your entire fleet, regardless of make or model, and easily transfer displays between vehicles to match operational or seasonal needs.

## Future-proof your operation

GFX displays easily scale and adapt so you can make hassle-free updates to your screen size, positioning and steering systems, or expanded implement needs.

# EASIER FARMING WITH PRECISION— IT'S WHAT WE DO

The **GFX-1260** display—along with its counterparts: the **GFX-350™** and **GFX-1060™** displays—provides an easy-to-use system for delivering high-accuracy GNSS operations, plus a suite of options for implement and input control.

Choose GFX displays to:

1

Save time

2

Make  
data-driven  
decisions

3

Increase  
productivity

4

Maximize  
profits

“ The fact that we have this kind of technology now is a timesaver. It has allowed us to **take on more acreage** and have the confidence that we will be able to **get across it efficiently.**”

Scott Seus | Seus Family Farms, Tulelake, CA



# DESIGN THE SOLUTION THAT FITS YOUR FARM

The **GFX-1260** display makes it easier to handle even the most complex farming workflows, adding accuracy and efficiency across your operation. Talk to your local reseller to determine the best combination of hardware, software and positioning options to fit your needs.




## High accuracy and connectivity out of the box

To help maximize your investment in precision ag technology, every new purchase of a GFX-1260 display comes with a 1-year license for the Trimble Ag Software—Data license while the NAV-900 guidance controller includes **Trimble's leading CenterPoint® RTX correction service** for the first year.

## GFX-1260 display highlights:

- Intuitive user interface
- Compatible with NAV-500™ and NAV-900 guidance controllers
- Field-IQ™ crop input control system, ISOBUS and TUVN/Serial functionality
- Supports ISOBUS Universal Terminal and Task Controller
- 6 product input channels and 48 controlled sections with Field-IQ
- AutoSync, Direct Send and Work Orders
- Cutting edge Bluetooth® and Wi-Fi® capabilities
- TeamViewer for enhanced support

**GFX-1260**  
30 cm (12 in) screen



Name
E-mail
Phone

# IMPROVE THE WAY YOU WORK

PTx Trimble's GFX displays—at a glance



	GFX-1260	GFX-1060	GFX-350
<b>Screen Size</b>	30.7 cm (12.1 in)	25.6 cm (10.1 in)	17.1 cm (7 in)
<b>Storage</b>	32 GB	32 GB	16 GB
<b>RAM</b>	4 GB	4 GB	1 GB
<b>USB Ports</b>	2	2	1
<b>CAN bus Ports</b>	3	3	1
<b>External Camera Support</b>	2	2	1
<b>Bluetooth &amp; Wi-Fi</b>	Yes	Yes	Yes
<b>Housing Material</b>	Cast Aluminum	Cast Aluminum	Plastic Compound
<b>TeamViewer Remote Control</b>	Standard	Standard	Standard
<b>AutoSync Feature</b>	Option	Option	Option
<b>Work Orders</b>	Option	Option	Option
<b>ISOBUS UT &amp; TC</b>	Option	Option	Option

## GFX-1260

30 cm (12 in) screen



# CUSTOMIZED RECOMMENDATIONS— JUST A CLICK AWAY

To discover which PTx Trimble technology best fits your farm, download the FAST App. Answer a short series of questions and the app will generate a custom combination of precision tools designed to match your operation's needs.

The FAST app is available at [ag.trimble.com/fastapp](https://ag.trimble.com/fastapp), as well as an app on your iOS or Android mobile device.



DOWNLOAD THE  
FAST APP HERE:



© 2024, PTx Trimble LLC. All rights reserved. PTx and associated Logo are trademarks of AGCO Corporation. Trimble, the Globe & Triangle logo, Autopilot, AutoSync, CenterPoint, EZ-Pilot, EZ-Steer, Field-IQ, GFX-1060, GFX-1260, GFX-350, NAV-500 and Precision-IQ are trademarks of Trimble Inc. and used under license by PTx Trimble. Android is a trademark of Google LLC. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by PTx Trimble. is under license. All other trademarks are the property of their respective owners. PN 022503-1991A (07/24)



 PTx Trimble

